



ISO/IEC 17025:2017
 PJLA Accreditation #: 75696
 Accreditation Field: Testing
 lab@summitnutritional.com

Report Number: 230614 007-01.342
 Date Reported: 06/21/2023
 Date(s) Tested: 06/14/2023 - 06/21/2023

Sample Details

Product #: Ultra Flex Joint Support
 Description: Ultra Flex Joint Support
 Lot #: JS230521
 Received: 6/14/2023 10:27:45 AM

Sample Details:

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Amino Acids				
Methionine	WI.HPLC.329.06	> 8.33	8.378	mg/serving
Glucosamine SO4 2NaCl	WI.HPLC.342.00	> 500	685.232	mg/serving
Heavy Metals				
Arsenic	USP <2232> ¥	< 15	0.033	ppm
Cadmium	USP <2232> ¥	< 5	0.014	ppm
Lead	USP <2232> ¥	< 5	0.079	ppm
Mercury	USP <2232> ¥	< 15	< 0.001	ppm
Physical				
Serving Size	SNL.MA.210		1.00	Capsule
Average Net Fill Weight	Calculated Sample Weight		946.34	mg

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC Modified ¥	< 1.00E+06	<100	cfu/g
Total Coliform	AOAC Modified ¥	< 10000	<100	cfu/g
E.coli	PCR ¥	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR ¥	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR ¥	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC Modified ¥	< 100000	100	cfu/g

Report Approved by: 
 Joel Nelson
 Laboratory Manager

*= Please review Client Specifications
 ¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com
 Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.
 This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.