



ISO/IEC 17025:2017
 Accreditation #: 75696
 lab@summitnutritional.com

Report Number: 220125 009-01.321
Date Reported: 2/11/2022 1:54:58 PM

Sample Details

Product #: Ginkgo Ginseng Ultra
 Description: Ginkgo/Ginseng Ultra
 Lot #: GIN220106
 Received: 1/25/2022 10:58:56 AM

Sample Details: Exp. 01/2025

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Botanicals and Nutraceuticals				
Ginsenoside Rb1	USP41-NF36 p4428		4.946	mg/serving
Ginsenoside Rb2	USP41-NF36 p4428		3.460	mg/serving
Ginsenoside Rc	USP41-NF36 p4428		3.290	mg/serving
Ginsenoside Rd	USP41-NF36 p4428		6.965	mg/serving
Ginsenoside Re	USP41-NF36 p4428		0.000	mg/serving
Ginsenoside Rf	USP41-NF36 p4428		2.592	mg/serving
Ginsenoside Rg1	USP41-NF36 p4428		0.000	mg/serving
Ginsenoside Rg2	USP41-NF36 p4428		8.210	mg/serving
Notoginsenoside	USP41-NF36 p4428		0.000	mg/serving
Ginsenoside Total	USP41-NF36 p4428	> 28	29.463	mg/serving
Heavy Metals				
Arsenic	USP <2232>	< 15	0.104	ppm
Cadmium	USP <2232>	< 5	0.030	ppm
Lead	USP <2232>	< 5	0.512	ppm
Mercury	USP <2232>	< 15	0.008	ppm
Physical				
Serving Size	SNL.MA.210		1.00	Capsule
Average Gross Weight	WI.USP.2091.02		876.80	mg
Average Net Fill Weight	WI.USP.2091.02		760.40	mg
%RSD	WI.USP.2091.02		0.7	% RSD

Microbiology	Method	Specifications	Result	Units
Total Plate Count	Biolumix	< 100000	<100000	cfu/g
Total Coliform	Biolumix	< 1000	<1000	cfu/g
E.coli	Biolumix	None Detected	None Detected	cfu/10g
Salmonella spp.	AOAC 2013.01 <Vidas>	None Detected	None Detected	cfu/10g
Staphylococcus aureus	Biolumix	None Detected	None Detected	cfu/10g
Yeasts & Molds	Biolumix	< 10000	<10000	cfu/g



ISO/IEC 17025:2017
Accreditation #: 75696
lab@summitnutritional.com

Report Number: 220125 009-01.321
Date Reported: 2/11/2022 1:54:58 PM

Sample Details

Product #: Ginkgo Ginseng Ultra
Description: Ginkgo/Ginseng Ultra
Lot #: GIN220106
Received: 1/25/2022 10:58:56 AM

Sample Details: Exp. 01/2025

Customer Information

Vox Nutrition
5647 W. Wells Park Rd
West Jordan, UT 84081

Certificate of Analysis

Report Approved by: 
Joel Nelson
Laboratory Manager

*= Please review Client Specifications

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.
This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.