



ISO/IEC 17025:2017
 PJLA Accreditation #: 75696
 Accreditation Field: Testing
 lab@summitnutritional.com

Report Number: 230605 018-02
 Date Reported: 06/09/2023
 Date(s) Tested: 06/05/2023 - 06/09/2023

Sample Details

Product #: Mens Mult vitamin Capsules
 Description: Men's Multivitamin Capsules
 Lot #: MMV230517
 Received: 6/5/2023 12:31:23 PM

Sample Details:

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <2232> ¥	< 15	0.164	ppm
Cadmium	USP <2232> ¥	< 5	0.066	ppm
Lead	USP <2232> ¥	< 5	0.116	ppm
Mercury	USP <2232> ¥	< 15	0.001	ppm
Minerals				
Zinc	WI.ICP.408 ¥	> 7.5	7.982	mg/serving
Calcium	WI.ICP.409 ¥	> 25	26.751	mg/serving
Physical				
Serving Size	SNL.MA.210		1.00	Capsule
Average Gross Weight	WI.USP.2091.02		911.70	mg
Average Net Fill Weight	WI.USP.2091.02		772.00	mg
%RSD	WI.USP.2091.02		1.5	% RSD
Vitamins				
Vitamin B3 Nicotinic Acid	WI.HPLC.306.07 ¥	> 15	15.281	mgNE/serving

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC Modified ¥	< 1.00E+06	1900	cfu/g
Total Coliform	AOAC Modified ¥	< 1000	<100	cfu/g
E.coli	PCR ¥	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR ¥	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR ¥	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC Modified ¥	< 100000	<100	cfu/g



ISO/IEC 17025:2017
PJLA Accreditation #: 75696
Accreditation Field: Testing
lab@summitnutritional.com

Report Number: 230605 018-02
Date Reported: 06/09/2023
Date(s) Tested: 06/05/2023 - 06/09/2023

Sample Details

Product #: Mens Mult vitamin Capsules
Description: Men's Multivitamin Capsules
Lot #: MMV230517
Received: 6/5/2023 12:31:23 PM

Customer Information

Vox Nutrition
8224 Industry Cir
West Jordan, UT 84088

Sample Details:

Certificate of Analysis

Report Approved by: 
Joel Nelson
Laboratory Manager

*= Please review Client Specifications

¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.